


Susceptibility of diarrhoeal pathogens to antimicrobial :**October 2017 - December 2017****Source: Dhaka Hospital Surveillance, icddr,b**

Antimicrobial agent	Shigella (n=21) %	V. cholerae O1 (n=72) %
Mecillinam	48	0
Ampicillin	52	1
TMP-SMX	19	1
Ciprofloxacin	38	100
Tetracycline	5	1
Ceftazidime	29	11
Azithromycin	62	100
Cefixime	29	0
Ceftriaxone	91	0
Gentamicin	29	11
Meropenem	33	11

Monthly isolation of *V. cholerae* O1, *Shigella*, Rotavirus and ETEC
October, 2017 - December, 2017
Source: Dhaka Hospital Surveillance, icddr,b



**Susceptibility of diarrhoeal pathogens to antimicrobial :
Under 5 children (October 2017 - December 2017)
Source: Dhaka Hospital Surveillance, icddr,b**

Antimicrobial agent	Salmonella (n=3) %
Mecillinam	0
Ampicillin	67
TMP-SMX	100
Ciprofloxacin	33
Chloramphenicol	67
Nalidixic acid	67
Azithromycin	0
Cefixime	100
Ceftriaxone	100
Gentamicin	0
Meropenem	33