


Susceptibility (%) of diarrhoeal pathogens to antimicrobial drugs :**January, 2018 - May, 2018****Source: Dhaka Hospital Surveillance, icddr,b**

Antimicrobial agent	Shigella (n=35)	V. cholerae O1 (n=229)
Ampicillin	63	1
Azithromycin	57	99
Amoxiclav	17	-
Ciprofloxacin	34	99
Ceftazidime	40	32
Ceftriaxone	86	1
Colistin	34	4
Cefuroxime	34	-
Cefepime	34	15
Cefixime	63	-
Ertapenem	37	7
Gentamicin	43	34
Levofloxacin	6	31
Mecillinam	63	0
Meropenem	43	34
Piperacillin	37	18
TMP-SMX	43	32
Tetracycline	3	64
Tigecycline	11	2
Ticarcillin	3	4

Monthly isolation of *V. cholerae* O1, *Shigella*, Rotavirus and ETEC

January, 2018 - May, 2018

Source: Dhaka Hospital Surveillance, icddr,b



**Susceptibility (%) of diarrhoeal pathogens to antimicrobial drugs :
Under 5 child (January, 2018 - May, 2018)
Source: Dhaka Hospital Surveillance, icddr,b**

Antimicrobial agent	Salmonella (n=5)
Ampicillin	80
Amoxiclav	60
Azithromycin	40
Ciprofloxacin	60
Ceftazidime	80
Colistin	80
Cefepime	80
Cefuroxime	80
Cefixime	100
Ceftriaxone	100
Ertapenem	60
Gentamicin	80
Levofloxacin	20
Nalidixic acid	60
Meropenem	100
Piperacillin	80
TMP-SMX	80
Tigecycline	20